# Iowa Department of Public Health BUREAU OF EMERGENCY MEDICAL SERVICES

# Iowa Emergency Medical Care Provider Scope of Practice



"Promoting and Protecting the Health of Iowans through EMS"

# LUCAS STATE OFFICE BUILDING

DES MOINES, IOWA 50319-0075 (515) 281-0620 (800) 728-3367 www.idph.state.ia.us/ems



# **Iowa Law Enforcement Emergency Care Provider (ILEECP)**

This EMS provider level is for Iowa peace officers who successfully complete a program of training that uses the department approved curriculum and have successfully completed the required testing as outlined in IAC 641--139. Individuals certified at this level will have a certification number identified with the letter "L". ILEECP certificates expire on July 1. Recertification requirements include four hours of approved continuing education.


# Scope of Practice for ILEECP Certified Providers

AIRWAY / VENTILATION / OXYGENATION
Skill
Bag-Valve-Mask (BVM)
Cricoid Pressure (Sellick)
Head-tilt/chin-lift
Jaw-thrust
Jaw-thrust - Modified (trauma)
Mouth-to-Barrier
Mouth-to-Mask
Mouth-to-Mouth
Mouth-to-Nose
Mouth-to-Stoma
Obstruction – Manual

CARDIOVASCULAR / CIRCULATION
Skill
Cardiopulmonary Resuscitation (CPR)
Defibrillation – Automated / Semi-Automated (AED)
Hemorrhage Control – Direct Pressure
Hemorrhage Control – Pressure Point
Hemorrhage Control – Tourniquet

IMMOBILIZATION
Skill
Spinal Immobilization – Manual Stabilization
Splinting – Manual

I	MISCELLANEOUS									
	Skill									
	Assisted Delivery (child-birth)									



# First Responder (1979) (FR)

This EMS provider level identifies individuals who have successfully completed a program of training that used, as a minimum, the 1979 FR national standard curriculum (NSC) and have successfully completed the testing requirements. Individuals certified at this level have a certification number identified with the letter "F". Initial certification at this level is no longer available. **THIS LEVEL IS NOT ELIGIBLE FOR TRANSITION.** 

# First Responder – Defibrillation (FR-D)

This EMS provider level identifies individuals who have successfully completed a program of training that used, as a minimum, the 1979 FR national standard curriculum and the AED supplemental curriculum, and have successfully completed the testing requirements. Individuals certified at this level have a certification number identified with the letter "G." Initial certification at this level is no longer available. **THIS LEVEL IS NOT ELIGIBLE FOR TRANSITION.** 

# First Responder (1996) (FR)

This EMS provider level identifies individuals who have successfully completed a program of training that used, as a minimum, the 1979 FR national standard curriculum (NCS) and completed the Iowa Transition Curriculum, or the 1996 FR NSC with the Iowa Supplemental curriculum, and have successfully completed the testing requirements. Individuals certified at this level have a certification number identified with the letter "F". **THIS LEVEL MUST TRANSITION DURING THE 2013 OR 2014 RENEWAL CYCLE.** 

# **Emergency Medical Technician – Ambulance (EMT-A)**

This EMS provider level identifies individuals who have successfully completed a program of training that used, as a minimum, the 1984 EMT-A national standard curriculum (NSC) and have successfully completed the department's testing requirements. Individuals certified at this level have a certification number identified with the letter "A." Initial certification at this level is no longer available. **THIS LEVEL IS NOT ELIGIBLE FOR TRANSITION.** 

# **Emergency Medical Technician – Defibrillation (EMT-D)**

This EMS provider level identifies individuals who have successfully completed a program of training that used, as a minimum, the 1984 EMT-A national standard curriculum (NSC) and the AED supplemental curriculum, and have successfully completed the department's testing requirements. Individuals certified at this level have a certification number identified with the letter "D". Initial certification at this level is no longer available. **THIS LEVEL IS NOT ELIGIBLE FOR TRANSITION.** 

## **Emergency Medical Technician – Basic (EMT-B)**

This EMS provider level identifies individuals who have successfully completed a program of training that used, as a minimum, the 1996 EMT-B national standard curriculum (NSC) and the Iowa supplemental curriculum, and have successfully completed the department's testing requirements. Individuals certified at this level have a certification number identified with the letter "B." THIS LEVEL MUST TRANSITION DURING THE 2014 OR 2015 RENEWAL CYCLE.

## **LEVELS BEGINNING AUGUST 1, 2011**

## **Emergency Medical Responders (EMR)**

This EMS provider level identifies individuals who have successfully completed a program of training that used, as a minimum, the 2005 National Education Standards for the EMR and successfully completed the testing requirements or completed the FR to EMR transition requirement. Individuals certified at this level have a certification number identified with the letters "EMR."

The primary focus of the EMR is to initiate immediate lifesaving care to critical patients who access the emergency medical system. This individual possesses the basic knowledge and skills necessary to provide lifesaving interventions while awaiting additional EMS response and to assist higher level personnel at the scene and during transport. EMRs function as part of a comprehensive EMS response, under medical oversight. EMRs perform basic interventions with minimal equipment.

# **Emergency Medical Technician (EMT)**

This EMS provider level identifies individuals who have successfully completed a program of training that used, as a minimum, the 2005 National Education Standards for the EMT and successfully completed the testing requirements, transition from EMT-I 1985+, or completed the EMT-B to EMT transition requirements. Individuals certified at this level have a certification number identified with the letters "EMT".

The primary focus of the EMT is to provide basic emergency medical care and transportation for critical and emergent patients who access the emergency medical system. This individual possesses the basic knowledge and skills necessary to provide patient care and transportation. EMTs function as part of a comprehensive EMS response, under medical oversight. EMTs perform interventions with the basic equipment typically found on an ambulance. The EMT is a link from the scene to the emergency health care system.

Airway and Breathing								
	FR	G	FR	EMR	Α	D	В	EMT
SKILL	79		96					
Airway - Manual	Χ	Χ	Χ	X	X	Χ	Χ	X
Airway-Oral			Χ	X	X	Χ	Χ	X
Airway-Nasal			Χ		Х	Χ	Χ	X
Airway- Multi-Lumen			Χ				Χ	
Airway-Esophageal/Tracheal			Χ				Χ	
CPAP								+
Obstruction - Manual	Х	Χ	Χ	Х	Х	Χ	Χ	Х
Oxygen Delivery			Χ	X	X	Χ	Χ	X
Oxygen Delivery-Humidified			Χ		Х	Χ	Χ	Х
Sellick's Maneuver	Х	Χ	Χ	Х	Х	Χ	Χ	Х
Suctioning - Upper Airway	Х	Χ	Χ	Х	Х	Χ	Χ	Х
Ventilations - Bag Valve	Х	Χ	Χ	Х	Х	Χ	Χ	Х
Ventilations – via Mouth	Х	Χ	Χ	Х	Х	Х	Χ	Х
Ventilations- Manually Triggered					Х	Х	Χ	Х
Ventilator - Automatic Transport							Χ	Х

<sup>+</sup> Additional training and medical director approval required

Assessment								
	FR	G	FR	EMR	Α	D	В	EMT
SKILL	79		96					
Blood Glucose Monitor							Χ	+
Blood Pressure	Х	Χ	Χ	Х	Х	Χ	Х	Х
Pulse Oximetry	X	Y	X	+	X	X	X	Х

<sup>+</sup> Additional training and medical director approval required

Pharmacological Intervention								
	FR	G	FR	EMR	Α	D	В	EMT
SKILL	79		96					
Autoinjector- Self/Peer Rescue				X			Χ	X
Autoinjector - Epinephrine							Χ	+
OTC Medications			Χ		Χ	Χ	Χ	X
Patient Assisted Meds (including Epi-pen)							Χ	X
Buccal								1
Oral								2
IV Fluid Infusion						•	Χ	


<sup>+</sup> Additional training and medical director approval required

# **EMT DRUG LIST**

1 Buccal Oral Glucose2. Oral Glucose/Aspirin

<b>Emergency Trauma Care</b>								
	FR	G	FR	EMR	Α	D	В	EMT
SKILL	79		96					
Cervical Stabilization - Manual	Χ	Χ	Χ	Х	X	Χ	Χ	Х
Extremity Stabilization - Manual	Χ	Χ	Χ	X	X	Χ	Χ	Χ
Extremity Splinting					X	Χ	Χ	Χ
Eye Irrigation	Χ	Χ	Χ	X	X	Χ	Χ	Χ
Hemorrhage Control	Χ	Χ	Χ	X	X	Χ	Χ	Χ
PASG					X	Χ	Χ	Χ
Spinal Immobilization					X	Χ	Χ	Х
Tourniquet	Χ	Χ	Χ		X	Χ	Χ	X

Medical/Cardiac Care								
	FR	G	FR	EMR	Α	D	В	EMT
SKILL	79		96					
Assisted Delivery	Х	Χ	Χ	Х	Х	Χ	Χ	Х
CPR - Manual	Х	Χ	Χ	Х	Х	Χ	Χ	Х
CPR - Mechanical					X	Χ	Χ	Х
Defibrillator - Automated	Х	Χ	Χ	Х	X	Χ	Χ	Х



# **Emergency Medical Technician – Intermediate (EMT-I)**

This EMS provider level identifies individuals who have successfully completed a program of training that used, as a minimum, the 1985 EMT-I national standard curriculum (NSC) or the Iowa EMT-I (2000) curriculum, and have successfully completed the department's testing requirements. Individuals certified at this level have a certification number identified with the letter "I." **THIS LEVEL MAY TRANSITION TO THE AEMT LEVEL BEFORE APRIL 1, 2016.** 

# <u>Iowa Emergency Medical Technician – Paramedic (EMT-P)</u>

This EMS provider level identifies individuals who have successfully completed a program of training that used, as a minimum, the 1985 EMT-P national standard curriculum (NSC), or the 1999 EMT-I NSC curriculum, and have successfully completed the department's testing requirements. Individuals certified at this level have a certification number identified with the letter "P." **THIS LEVEL MAY TRANSITION TO THE PARAMEDIC LEVEL BEFORE APRIL 1, 2018.** 

# Paramedic Specialist (PS)

This EMS provider level identifies individuals who have successfully completed a program of training that used, as a minimum, the 1985 EMT-P national standard curriculum (NSC), plus documentation of completion of the objectives to the 1998 EMT-P NSC, or completed the 1998 EMT-P NSC, and have successfully completed the department's testing requirements. Individuals certified at this level have a certification number identified with the letters "PS." **THIS LEVEL MUST TRANSITION BY THE 2014 OR 2015 RENEWAL PERIOD** 

# LEVELS BEGINNING AUGUST 1, 2011

## **Advanced Emergency Medical Technician (AEMT)**

This EMS provider level identifies individuals who have successfully completed a program of training that used, as a minimum, the 2005 National Education Standards for the AEMT or completed the EMT-I to AEMT transition requirements and successfully completed the testing requirements. Providers certified as EMT-P may transition to AEMT. Individuals certified at this level have a certification number identified with the letters "AEMT."

The primary focus of the AEMT is to provide basic and limited advanced emergency medical care and transportation for critical and emergent patients who access the emergency medical system. This individual possesses the basic knowledge and skills necessary to provide patient care and transportation. AEMTs function as part of a comprehensive EMS response, under medical oversight. AEMTs perform interventions with the basic and advanced equipment typically found on an ambulance. The AEMT is a link from the scene to the emergency health care system.

#### **Paramedic**

This EMS provider level identifies individuals who have successfully completed a program of training that used, as a minimum, the 2005 National Education Standards for the Paramedic or completed the EMT-P to Paramedic transition requirements and successfully completed the testing requirements. Providers certified at the PS level may transition by meeting the PS to Paramedic Transition Requirements. Individuals certified at this level have a certification number identified with the letters "PM."

The Paramedic is an allied health professional whose primary focus is to provide advanced emergency medical care for critical and emergent patients who access the emergency medical system. This individual possesses the complex knowledge and skills necessary to provide patient care and transportation. Paramedics function as part of a comprehensive EMS response, under medical oversight. Paramedics perform interventions with the basic and advanced equipment typically found on an ambulance. The Paramedic is a link from the scene into the health care system.

#### ENDORSEMENT LEVEL

# Critical Care Paramedic (CCP)

This EMS provider endorsement identifies individuals who hold a valid Iowa PS or Paramedic certification and have successfully completed an Iowa approved Critical Care Paramedic program. Individuals holding a valid endorsement as a CCP and working for an approved CCP transporting service may perform CCP skills listed below during intrafacility critical care transport (CCT).

Airway and Breathing	EMT-I	AEMT	Р	PS	PARA	CC
SKILL						Р
Airway - Manual	Χ	X	Χ	Χ	X	Χ
Airway-Nasal	Χ	X	Х	Х	X	Χ
Airway-Oral	Χ	X	Х	Χ	X	Χ
Airway- Multi-Lumen	Χ	X	Х	Χ	X	Χ
Airway-Esophageal/Tracheal	Χ	Х	Х	Х	X	Х
BiPAP/CPAP		+	CPAP	CPAP	Х	Х
Capnography/ETCO <sub>2</sub>			Х	Х	X	Х
Chest Tube Placement-Assist						Χ
Chest Tube-Monitoring					X	Χ
Crichothyrotomy - Percutaneous			X	Χ	X	Χ
Crichothyrotomy - Surgical						Χ
Endotracheal Intubation- Nasal/Oral			Х	Х	X	Χ
Endotracheal Intubation- Retrograde						Χ
Gastric Decompression - NG or OG tube			Х	Χ	X	Χ
Needle Chest Decompression			Х	Х	Х	Х
Obstruction - Direct Laryngoscopy			Х	Х	Х	Х
Obstruction - Manual	Х	Х	Х	Х	Х	Х
Oxygen Delivery (including humidified)	Χ	X	Х	Х	Χ	Х
PEEP Therapeutic (>6 cm H <sub>2</sub> O pressure)				Х	X	Χ
Sellick's Maneuver	Χ	X	Х	Х	X	Х
Suctioning - Upper Airway	Х	X	Х	Х	X	Х
Ventilations - Bag Valve	Χ	Χ	Х	Χ	X	Х
Ventilations – via Mouth	Х	X	Х	Х	X	Х
Ventilations- Manually Triggered	Х	X	Х	Х	X	Х
Ventilator - Automatic Transport	Χ	Χ	Х	Χ	X	Х
Ventilator - Enhanced						Х
Suctioning - Tracheobronchial		Х	Х	Х	Х	Х

<sup>+</sup> CPAP may be used with additional training and medical director approval required

Assessment						
SKILL	EMT-I	AEMT	Р	PS	PARA	CCP
Blood Chemistry Analysis					X	Χ
Blood Glucose Monitor	Χ	X	Χ	Χ	X	Χ
Blood Pressure	Х	X	Χ	Х	X	Х
Blood Sampling - Arterial						Х
Blood Sampling - Capillary Tube	Χ		Χ	Χ	X	Χ
Blood Sampling - Venous	Χ		Х	Χ	X	Х
Central Line Monitoring	•		•		X	Х
EKG - Multi lead (interpretive)	•		•	X	Х	Χ

Assessment (cont)						
EKG - Single lead (interpretive)			Χ	Χ	Х	Χ
Hemodynamic Monitoring						Χ
ICP Monitoring						Χ
Pulse Oximetry	Х	Х	Х	Х	Χ	X

SKILL         EMT-I         AEMT         P         PS         PARA         CCF           Autoinjector - Self/Peer Rescue         X	Pharmacological Intervention						
Autoinjector - Epinephrine         X </td <td></td> <td>EMT-I</td> <td>AEMT</td> <td>Р</td> <td>PS</td> <td>PARA</td> <td>CCP</td>		EMT-I	AEMT	Р	PS	PARA	CCP
OTC Medications	Autoinjector- Self/Peer Rescue	Х	X	Χ	Χ	Х	Х
OTC Medications         X	Autoinjector - Epinephrine	Х	Χ	Χ	Χ	Х	Х
Aerosolized/Nebulized	·	Χ	Χ	Χ	Χ	Х	Х
Buccal   Buccal   Buccal   Buccal   Buccal   Buccal   Self administered   Self administered   Successive   Self administered   Successive   Self administered   Successive	Patient Assisted Meds	Х	X	Χ	Х	Х	Х
Endotracheal tube         X	Aerosolized/Nebulized		•	Χ		X	
Inhaled - Self administered   3	Buccal		2	Χ	Χ	X	X
Intramuscular	Endotracheal tube			Χ	Χ	X	Х
Intranasal	Inhaled - Self administered		3	Χ	Х	X	X
Intravenous push         5         X	Intramuscular		4	Χ	Χ	Х	Х
Intravenous piggyback	Intranasal			Χ	Χ	X	Х
Nasogastric         X <th< td=""><td>Intravenous push</td><td></td><td>5</td><td>Χ</td><td>Χ</td><td>X</td><td>X</td></th<>	Intravenous push		5	Χ	Χ	X	X
Oral         6         X	Intravenous piggyback			Χ	X	X	X
Rectal         X <td>Nasogastric</td> <td></td> <td></td> <td>Χ</td> <td>Χ</td> <td>X</td> <td>X</td>	Nasogastric			Χ	Χ	X	X
Subcutaneous         7         X         X         X           Sublingual         8         X         X         X           Arterial Line - Monitoring         X         X         X           Blood Administration         X         X         X           Central Line Access         +         +         +         +         X           IO Insertion         X         X         X         X           IV Fluid Infusion         X         X         X         X           Peripheral IV Insertion         X         X         X         X	Oral		6	Χ	X	X	
Sublingual         8         X         X           Arterial Line - Monitoring         X         X           Blood Administration         X         X         X           Central Line Access         +         +         +         +         X         X           IO Insertion         X         X         X         X         X         X           IV Fluid Infusion         X         X         X         X         X         X           Peripheral IV Insertion         X         X         X         X         X         X	Rectal			Χ		X	
Arterial Line - Monitoring         X           Blood Administration         X         X         X           Central Line Access         +         +         +         +         X         X           IO Insertion         X         X         X         X         X         X           IV Fluid Infusion         X         X         X         X         X         X           Peripheral IV Insertion         X         X         X         X         X         X	Subcutaneous		7	Χ	Χ	X	X
Blood Administration         X         X         X         X           Central Line Access         +         +         +         +         X         X         X           IO Insertion         X         X         X         X         X         X           IV Fluid Infusion         X         X         X         X         X         X           Peripheral IV Insertion         X         X         X         X         X         X	Sublingual		8	Χ	Χ	X	X
Central Line Access         +         +         +         X	Arterial Line - Monitoring						Х
IO Insertion         X <t< td=""><td>Blood Administration</td><td></td><td></td><td>Χ</td><td>X</td><td>X</td><td></td></t<>	Blood Administration			Χ	X	X	
IV Fluid Infusion X X X X X X  Peripheral IV Insertion X X X X X X X X	Central Line Access	+	+	+		X	X
Peripheral IV Insertion X X X X X X	IO Insertion		X	Χ	Χ	Х	Х
1 changing in the change of th	IV Fluid Infusion	Χ	X	X		Х	
Thrombolytic Administration X X X	Peripheral IV Insertion	X	X	Χ			X
	Thrombolytic Administration				Χ	X	Х
Umbilical Initiation X X	Umbilical Initiation				X		X

<sup>+</sup> Additional training and medical director approval required

# AEMT DRUG LIST

1 Aerosolized/Nebulized	Beta agonist
2 Buccal	Oral Glucose
3 Inhaled - Self administered	Nitrous Oxide
4 Intramuscular	Nalaxone/Epinephrine/Glucagon
5 Intravenous push	Nalaxone/Dextrose/Glucagon
6. Oral	Glucose/Aspirin
7. Subcutaneous	Epinephrine/Glucagon
8. Sublingal	Nitroglycerin

**Emergency Trauma Care** EMT-I AEMT PARA ССР Р PS SKILL X Χ X Cervical Stabilization - Manual Χ Χ Χ Χ Χ Χ Χ X Χ Extremity Stabilization - Manual Χ X Χ Χ X Χ Extremity Splinting Χ X Χ Χ X Χ Eye Irrigation Χ Χ X Χ Eye Irrigation - Morgan Lens Χ Χ X Χ Χ X Hemorrhage Control Χ Χ Χ Χ Χ Χ PASG Χ X Χ Χ X Χ Spinal immobilization Χ Χ Χ X Χ Χ Tourniquet

Medical/Cardiac Care						
SKILL	EMT-I	AEMT	Р	PS	PARA	CCP
Assisted Delivery	Χ	X	Χ	Χ	X	Χ
Cardioversion			Χ	Χ	X	Χ
Carotid Massage			Χ	Х	X	Χ
CPR – Manual/Mechanical	Х	Χ	Χ	Х	Χ	Χ
Defibrillation - Manual			Х	Х	X	Χ
Defibrillator - Automated	Х	X	Χ	Х	X	Χ
Transcutaneous Pacing			Χ	Χ	X	Χ
Urinary Catheterization			Χ	Х		Χ